



Product overview 2020

More Space System

novus[®]



Company headquarters

Novus Dahle GmbH
Breslauer Strasse 34-38
49808 Lingen
Germany

Tel. +49 (0) 591/9140-0
Fax +49 (0) 591/9140-841

www.novus.de
info@novus-dahle.com



Individually **combined**
in every **situation.**






Perfect support available everywhere for cutting-edge flat-screen monitors, laptops and tablet PCs – a customised and ergonomic solution.

Enjoy our new **NOVUS MY Series**
with improved functions from
01/04/2020!


Novus MY: solutions for more style and efficiency at the workplace

Novus MY combines form, function and elegance in attractive product solutions with a stylish look. The series includes perfect support arm solutions and holders for monitors, notebooks and tablet PCs. Their flexibility and manoeuvrability mean every workstation can be optimally organised.

Design and efficiency in their purest form



Suitably secured



Cleverly combined



Support carriage / 2-part articulated arm / notebook holder: allows the desired position of the monitor or notebook to be precisely adjusted to the individual user.



Adapter plate allows the monitor to be easily replaced.



Tablet holder for tablets sized 7" to 10".



Two monitors can be seen as easily as one.



Connection to an organisation wall possible.

Enjoy our new **NOVUS MY Series**
with improved functions from
01/04/2020!



Product expires
on 31.12.2020!



NOVUS MY point

- Mobile tablet holder as the practical and modern basis for presentation and communication
- Universal stand for Tablets PC's with a size from 7" to 10" (clamping length 160-300 mm)
- Tablets can be used in portrait or landscape format
- Anodised aluminium column with solid metal base
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Infinitely height adjustable
- Height of the column: 250 mm
- Includes two cable clips

Colours	Art.No.	EAN Code
 	910+3099+000	4009729053874



Product expires
on 31.12.2020!



NOVUS MY one C, with system clamp

- Elegant monitor holder with infinitely height adjustable support carriage
- Combination of MY base and MY fix simple, efficient and elegant
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Includes two cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+1019+000	4009729052099



Product expires
on 31.12.2020!



NOVUS MY one D, with drilling screw fitting

- Elegant monitor holder with infinitely height adjustable support carriage
- Combination of MY base and MY fix simple, efficient and elegant
- Table mount with drilling screw fitting for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Includes two cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+1049+000	4009729052105

Flat screen holder Novus MY



Product expires on 31.12.2020!



NOVUS MY one G, with cable port attachment

- Elegant monitor holder with infinitely height adjustable support carriage
- Combination of MY base and MY fix simple, efficient and elegant
- Table mount with drilling screw fitting for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Includes two cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+1059+000	4009729052112




Product expires on 31.12.2020!



NOVUS MY one S, with system rail mount

- Elegant monitor holder with infinitely height adjustable support carriage
- Combination of MY base and MY fix simple, efficient and elegant
- System rail mount for use in various system rails of the office furniture industry
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Includes two cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+1069+000	4009729052129



Product expires on 31.12.2020!



NOVUS MY one SW, with organisation wall mount

- Elegant monitor holder with infinitely height adjustable support carriage
- Combination of MY base and MY fix simple, efficient and elegant
- Adaption to the organisation wall via slot nuts
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+1079+000	4009729053454

Enjoy our new **NOVUS MY Series**
with improved functions from
01/04/2020!



Product expires
on 31.12.2020!



NOVUS MY one W, with wall mount

- Elegant monitor holder with infinitely height adjustable support carriage
- Combination of MY base and MY fix simple, efficient and elegant
- Wall mounting with screws
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+1089+000	4009729053461



Product expires
on 31.12.2020!



NOVUS MY one plus C, with system clamp

- Elegant monitor holder with infinitely height adjustable folding arm
- Combination of MY base and MY arm for more design, flexibility and dynamics at the workplace
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Mounting standard 75/100 mm
- Carrying capacity: Monitor weight up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+2019+000	4009729052051



Flat screen holder Novus MY



Product expires on 31.12.2020!



NOVUS MY one plus D, with drilling screw fitting

- Elegant monitor holder with infinitely height adjustable folding arm
- Combination of MY base and MY arm for more design, flexibility and dynamics at the workplace
- Table mount with drilling screw fitting for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+2049+000	4009729052068



Product expires on 31.12.2020!



NOVUS MY one plus G, with cable port attachment

- Elegant monitor holder with infinitely height adjustable folding arm
- Combination of MY base and MY arm for more design, flexibility and dynamics at the workplace
- Table mount with cable port attachment for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+2059+000	4009729052075



Enjoy our new **NOVUS MY Series**
with improved functions from
01/04/2020!




Product expires
on 31.12.2020!



NOVUS MY one plus S, with system rail mount

- Elegant monitor holder with infinitely height adjustable folding arm
- Combination of MY base and MY arm for more design, flexibility and dynamics at the workplace
- System rail mount for use in various system rails from the office furniture industry
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+2069+000	4009729052082



Product expires
on 31.12.2020!



NOVUS MY one plus SW, with organisation wall mount

- Elegant monitor holder with infinitely height adjustable folding arm
- Combination of MY base and MY arm for more design, flexibility and dynamics at the workplace
- Adaption to the organisation wall via slot nuts
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Delivery without SlatWall
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+2079+000	4009729053478

Flat screen holder Novus MY



Product expires on 31.12.2020!



NOVUS MY one plus W, with wall mount

- Elegant monitor holder with infinitely height adjustable folding arm
- Combination of MY base and MY arm for more design, flexibility and dynamics at the workplace
- Wall mounting with screws
- Mounting standard 75/100 mm
- Mounting of flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+2089+000	4009729053485



Product expires on 31.12.2020!



NOVUS MY twin fix C, with system clamp

- Elegant monitor holder with two support carriages infinitely adjustable in height
- Combination of MY base and MY fix functional and well designed for the attachment of two opposite monitors
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+1119+000	4009729052174

Enjoy our new NOVUS MY Series
with improved functions from
01/04/2020!



Product expires
on 31.12.2020!

NOVUS MY twin fix D, with drilling screw fitting

- Elegant monitor holder with two support carriages infinitely adjustable in height
- Combination of MY base and MY fix functional and well designed for the attachment of two opposite monitors
- Table mount with drilling screw fitting for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+1149+000	4009729052181



Product expires
on 31.12.2020!

NOVUS MY twin fix G, with cable port attachment

- Elegant monitor holder with two support carriages infinitely adjustable in height
- Combination of MY base and MY fix functional and well designed for the attachment of two opposite monitors
- Table mount with cable port attachment for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+1159+000	4009729052198

Flat screen holder Novus MY



Product expires on 31.12.2020!



NOVUS MY twin fix S, with system rail mount

- Elegant monitor holder with two support carriages infinitely adjustable in height
- Combination of MY base and MY fix functional and well designed for the attachment of two opposite monitors
- System rail mount for use in various system rails from the office furniture industry
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
	 910+1169+000	4009729052204



Product expires on 31.12.2020!



NOVUS MY twin arm C, with system clamp

- Elegant monitor holder with two infinitely height adjustable folding arms
- Combination of MY base and two MY arm attractive appearance with maximum flexibility in the positioning of two monitors
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
	 910+2219+000	4009729052136

Enjoy our new NOVUS MY Series
with improved functions from
01/04/2020!



Product expires
on 31.12.2020!



NOVUS MY twin arm D, with drilling screw fitting

- Elegant monitor holder with two infinitely height adjustable folding arms
- Combination of MY base and two MY arm attractive appearance with maximum flexibility in the positioning of two monitors
- Table mount with drilling screw fitting for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
	910+2249+000	4009729052143



Product expires
on 31.12.2020!



NOVUS MY twin arm G, with cable port attachment

- Elegant monitor holder with two infinitely height adjustable folding arms
- Combination of MY base and two MY arm attractive appearance with maximum flexibility in the positioning of two monitors
- Table mount with cable port attachment for a table thickness of 5-70 mm
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
	910+2259+000	4009729052150

Flat screen holder Novus MY



Product expires on 31.12.2020!



NOVUS MY twin arm S, with system rail mount

- Elegant monitor holder with two infinitely height adjustable folding arms
- Combination of MY base and two MY arm attractive appearance with maximum flexibility in the positioning of two monitors
- System rail mount for use in various system rails of the office furniture industry
- Mounting standard 75/100 mm
- Mounting of two flat screens up to 5 kg
- Range: 415 mm
- Monitor arm infinitely adjustable in height, tilt and rotation
- Height of the column: 350 mm
- Supplied with cable clips
- Combinable with NOVUS MY tab and NOVUS Quick Release

Colours	Art.No.	EAN Code
 	910+2269+000	4009729052167




NOVUS MY base W, with wall rail

- Wall mounting with screws
- Flat distance to the wall of about 20 mm
- Available in lengths: 350 mm, 450 mm and 890 mm
- Covered screw holes
- Customised lengths on request

Colours	Art.No.	EAN Code
 	911+0089+000	4009729052952
 	911+0189+000	4009729053355
 	911+0289+000	4009729053362

Enjoy our new NOVUS MY Series
with improved functions from
01/04/2020!



NOVUS MY base SW

- Aluminium profile for mounting on an organisation wall
- Adaption to the organisation wall via slot nuts
- Flat distance to the wall of about 20 mm
- Height of the column: 350 mm
- Covered screw holes
- Fastening material included

Colours	Art.No.	EAN Code
 	911+0079+000	4009729052945



NOVUS MY fix

- Infinitely height adjustable support carriage with VESA standard 75/100
- Mounting of flat screens up to 5 kg
- Rotation and tilt is given by the cross joint for more mobility at limited space
- Range: 50 mm
- Balance mechanism at the front joint for optimum monitor positioning
- MY base as a mandatory extension

Colours	Art.No.	EAN Code
	911+1009+000	4009729052013

Product expires
on 31.12.2020!



Flat screen holder Novus MY



Product expires on 31.12.2020!



NOVUS MY arm

- Infinitely height adjustable 2-part articulated arm with standard VESA 75/100
- Mounting of flat screens up to 5 kg
- Rotatable and swivelling
- Range: 415 mm
- Balance mechanism at the front joint for optimum monitor positioning
- Enables horizontal positioning of the screen
- Includes two cable clips
- MY base as a mandatory extension

Colours	Art.No.	EAN Code
	911+2009+000	4009729052037



Product expires on 31.12.2020!



NOVUS MY notebookarm

- High quality notebook holder with 2-part aluminium arm, infinitely adjustable
- Support platform (404 x 288 mm) for regular and large notebooks
- Carrying capacity 5 kg
- Turn- and tiltable up to 45°
- Grommet in the support plate
- MY base as a mandatory extension

Colours	Art.No.	EAN Code
	911+4009+000	4009729055359

Enjoy our new **NOVUS MY Series**
with improved functions from
01/04/2020!



NOVUS MY arm clip

- Transparent cable clip for optimal cable management at the arm
- Supplied in a set of 2

Colours	Art.No.	EAN Code
	911+0100+000	4009729053492

2
Years
Guarantee




NOVUS MY base clip

- Transparent cable clip for optimal cable management at the column
- Supplied in a set of 2

Colours	Art.No.	EAN Code
	911+0010+000	4009729053508

2
Years
Guarantee



Flat screen holder Novus MY



NOVUS MY tab

- Unique tablet holder that makes it very easy to insert and remove a variety of tablets
- Tablet mount for tablets with a size of 7" to 10" (clamping length 160-300 mm)
- Tablets can be used in portrait or landscape format
- For attachment to NOVUS MY fix, NOVUS MY arm and NOVUS TSS support elements

Colours	Art.No.	EAN Code
	911+3005+000	4009729052525



NOVUS QuickRelease

- Quick release system for NOVUS MY fix and NOVUS MY arm and other NOVUS support elements
- Enables quick and easy monitor change without tools

Colours	Art.No.	EAN Code
	795+9095+000	4009729052860



NOVUS MY toolbar

- SlatWall element with two slots for attaching accessories and monitor arms
- Desktop mount with system clamp 1 (MY Clamp 14-40 mm)
- Available in length: 1200mm, 1600mm

Colours	Art.No.	EAN Code
 	915+1209+000	4009729062234
 	915+1609+000	4009729062241



Novus Clu – perfect for you!

The Novus Clu series of monitor arms gives monitors almost unlimited freedom of movement. The monitor can be turned from landscape to portrait format and moved in any direction, even completely flat up against an organisation wall or acoustic panel. The powerful, adjustable gas spring technology balances the monitor's weight up to a maximum of 7 kg and therefore ensures extremely easy handling at any time.

Elegant 2-part monitor arm with gas spring technology for comfortable, ergonomic monitor adjustment

Particularly suitable for varifocal wearers and touch displays, as the horizontal arm element allows the monitor to be positioned at a particularly low height





QuickRelease

Monitors can be attached and adjusted **easily by hand** by a single person without any tools. The holder fits all conventional monitors with the mounting standard 75 x 75 and 100 x 100.




Stable joints

The high-quality pivot joint is significantly flatter than a conventional ball-and-socket joint and therefore offers practically unlimited freedom of movement **in every turning and tilting direction**. Even large monitors are easy to handle and will stay securely in the required position.



Clever cable routing

All connection cables are organised and protected under the discreet cover. This also contains the powerful **gas spring** for first-class ease of use.



NOVUS SlatWall

The Clu I SW is ideal for attachment to **organisation walls** and **acoustic panels**, such as the Novus MY toolbar or the Novus SlatWall.



Special project solutions

Various mounting solutions are available to allow you to benefit from the full performance of the new monitor arms even when used in **combination with rail systems**. As well as these, we also develop special solutions for system rails, office partition walls, desks with free-form panels and clamps with different clamping heights and depths on request.




3-in-1 table mount

The standard mount component can easily be attached from above and covers three types of mounts in one: **clamp, cable port or drilling screw**. It is suitable for desktop thicknesses of 10–50 mm and offers optimum flexibility should a different mount from the standard one be required.

3-in-1: in just a few simple steps, the clamp can be turned into a drilling-screw or cable port mount.





NOVUS Clu I SW, with organisation wall mount

- Elegant 1-part monitor support arm with gas spring technology for a comfortable, ergonomic adjustment of the monitor
- Integrated SlatWall universal adapter for easy mounting with a central screw fitting for mounting in a single or double slot
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Range: 314 mm
- Enables horizontal positioning of the screen
- Perfect cable management
- Obligatory supplement is a SlatWall element



Colours	Art.No.	EAN Code
	990+1071+000	4009729067949
	990+1079+000	4009729066126



NOVUS Clu I c, with table mount

- Elegant 1-part monitor support arm with gas spring technology for a comfortable, ergonomic adjustment of the monitor
- Flexible 3-in-1 table mount for clamp, cable port or drilling screw, for a tabletop thickness of 10-50 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Adjustable inhibition
- 360° rotatable with adjustable stop to 180°
- Range: 283 mm
- Enables horizontal positioning of the screen
- Perfect cable management by cable clips
- Quick and easy mounting

NEW



Colours	Art.No.	EAN Code
	990+1011+000	4009729068281
	990+1018+000	4009729070796
	990+1019+000	4009729068304



Flat screen holder Novus Clu



NOVUS Clu II c, with table mount

- Elegant 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic monitor adjustment
- Flexible 3-in-1 table mount for clamp, cable port or drilling screw, for a tabletop thickness of 10-50 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Adjustable inhibition
- 360° rotatable with adjustable stop to 180°
- Range: 433 mm
- Enables horizontal positioning of the screen
- Perfect cable management by cable clips
- Quick and easy mounting

NEW



Colours	Art.No.	EAN Code
	990+2011+000	4009729068366
	990+2018+000	4009729070833
	990+2019+000	4009729068380






NOVUS Clu III C, with table mount

- Elegant 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic monitor adjustment
- Particularly suitable for varifocal wearers and touch displays, as the horizontal arm element allows the monitor to be positioned at a particularly low height
- Flexible 3-in-1 table mount for clamp, cable port or drilling screw, for a tabletop thickness of 10-50 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Adjustable inhibition
- 360° rotatable with adjustable stop to 180°
- Range: 457 mm
- Perfect cable management by cable clips
- Quick and easy mounting

NEW



Colours	Art.No.	EAN Code
	990+3011+000	4009729068441
	990+3018+000	4009729070871
	990+3019+000	4009729068465



Flat screen holder Novus Clu



NOVUS Clu Duo C, with table mount

- The dual-monitor solution with gas spring for easy, ergonomic monitor adjustment
- For monitors up to approx. 27 inch
- Flexible 3-in-1 table mount for clamp, cable port or drilling screw, for a tabletop thickness of 10-50 mm
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- For mounting two flat screens of 2 kg to 7 kg each and a max. monitor width of 656 mm
- Adjustable inhibition
- 360° rotatable with adjustable stop to 180°
- Range: 333 mm
- Enables horizontal positioning of the screen
- Perfect cable management by cable clips
- Quick and easy mounting

NEW



Colours	Art.No.	EAN Code
	990+4011+000	4009729068489
	990+4018+000	4009729070895
	990+4019+000	4009729068502





NOVUS Clu I, without mount

- Elegant 1-part monitor support arm with gas spring technology for a comfortable, ergonomic adjustment of the monitor
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Adjustable inhibition
- 360° rotatable with adjustable stop to 180°
- Range: 283 mm
- Enables horizontal positioning of the screen
- Perfect cable management
- Obligatory supplement is a Clu mounting
- Quick and easy mounting

NEW



Colours	Art.No.	EAN Code
	990+1001+000	4009729068243
	990+1008+000	4009729070772
	990+1009+000	4009729068267



NOVUS Clu II, without mount

- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Adjustable inhibition
- 360° rotatable with adjustable stop to 180°
- Range: 433 mm
- Enables horizontal positioning of the screen
- Perfect cable management by cable clips
- Obligatory supplement is a Clu mounting
- Quick and easy mounting

NEW



Colours	Art.No.	EAN Code
	990+2001+000	4009729068328
	990+2008+000	4009729070819
	990+2009+000	4009729068342

Flat screen holder Novus Clu



NOVUS Clu III, without mount

- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment
- Particularly suitable for varifocal wearers and touch displays, as the horizontal arm element allows the monitor to be positioned at a particularly low height
- Easy mounting of the monitor by quick release, suitable for mounting standard 75/100
- Carrying capacity: Monitor weight 2-7 kg
- Adjustable inhibition of the joints
- 360° rotatable with adjustable stop to 180°
- Range: 457 mm
- Perfect cable management by cable clips
- Obligatory supplement is a Clu mounting
- Quick and easy mounting

NEW



Colours	Art.No.	EAN Code
	990+3001+000	4009729068403
	990+3008+000	4009729070857
	990+3009+000	4009729068427

NOVUS Clu column adapter

- Adapter for MY, TSS and Retail columns
- In high-quality aluminium
- Quick and easy mounting



NEW

Colours	Art.No.	EAN Code
	898+0091+000	4009729068601
	898+0098+000	4009729070956
	898+0099+000	4009729068625





Novus Clu clamp (25 mm)

- Clamp for mounting on desktops
- Clamping length: 13-25 mm
- Clamping depth: 25 mm
- Cable clip included for optimum cable routing
- Steel clamp with aluminium casing



Colours	Art.No.	EAN Code
	898+0021+001	4009729071977
	898+0028+001	4009729071984
	898+0029+001	4009729071991



Novus Clu clamp (65 mm)

- Clamp for mounting on desktops
- Clamping length: 13-25 mm
- Clamping depth: 65 mm
- Cable clip included for optimum cable routing
- Steel clamp with aluminium casing



Colours	Art.No.	EAN Code
	898+0021+002	4009729072004
	898+0028+002	4009729072011
	898+0029+002	4009729072028



Diverse accessories and storage options help create a tidy and cusotmised workstation for a better overview.

System for greater individuality
and more free space.





NOVUS PhoneMaster

- Compact design offering a high carrying capacity making it particularly suitable for larger and heavier-type telephones
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Swivelling around 360° for ease of movement
- Platform can be mounted crossways or lengthways
- Dimensions base plate: 258 x 172 mm

Colours	Art.No.	EAN Code
	713+0005+000	4009729019405
	713+0002+000	4009729019399




NOVUS ScopeMaster

- Smoothly telescoping swivel arm for positioning of devices in the third level
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- Rotating support platform, inclined towards the user
- Swivelling around 360° for ease of movement
- Platform can be mounted crossways or lengthways
- Internal cable routing for optimum cable management
- Dimensions base plate: 258 x 172 mm

Colours	Art.No.	EAN Code
	714+0002+000	4009729019511
	714+0009+000	4009729042465



Office organisation universal support arms



NOVUS TalkMaster

- Telephone swivel arm with 2-part articulated arm for filing the phone in the third level
- Table mounting with universal clamp 1 for a table thickness of 18-74 mm
- 3-stage adjustment for flexible positioning
- Swivelling around 360° for ease of movement
- Platform can be mounted crossways or lengthways
- Dimensions base plate: 258 x 172 mm

Colours	Art.No.	EAN Code
	710+0005+000	4009729019160
	710+0002+000	4009729019153



NOVUS extension platforms

- Set of two extension plates to enlarge the support plate of universal support arms
- Increase the size of supporting platform from 258 x 172 mm to 258 x 258 mm or 258 x 344 mm
- Supplied with four clip connectors for easy assembling

Colours	Art.No.	EAN Code
	795+0905+000	4009729019627
	795+0902+000	4009729019610


NOVUS Pila: Novus seating balls make a stylish and ergonomic seat.

Movement keeps you fit! Thanks to the centre of gravity inside the Pila, the ball does not roll away and so always provides a clean, dust-free seat.




Balance Ball

The weight reinforcement inside means the ball is self-levelling.




Dust-repellent seat

With the internal Balance Ball, you avoid getting your clothes dusty.




Functional label

Makes it easy to lift, carry and reposition the ball.




Clear design language

The ball's minimalist design means it fits right into modern open-space offices, too.



Ergonomic sitting

The ball's shape keeps you constantly moving.



High-quality materials

A precisely constructed cover of imitation leather.




NOVUS Pila Brown Leather

- The shape of the NOVUS Pila seating ball makes it ideal for ergonomic sitting and it perfectly balances your movements. Dynamic sitting keeps you constantly moving and gives you strengthened and healthy back muscles.
- The internal weight reinforcement in the ball creates a centre of gravity, so that the NOVUS Pila seating ball is self-levelling. As a result, the ball does not roll away, and the seat remains dust and dirt free.
- The handy label makes it easy to lift, carry and reposition the NOVUS Pila seating ball.
- Thanks to its elegant, timeless and clear design, the NOVUS Pila seating ball fits into any furnishing style, whether in the office or in your own home office.
- The NOVUS Pila seating ball has a precisely constructed cover of high-quality imitation leather that is easy to remove and clean.
- Delivery includes a cover, a PVC inner ball, a manual air pump, 2 self-closing valves and a pump adapter for commercial air pumps.

NEW

Colours	Item no.	EAN
 	749+0656+000	4009729070758
 	749+0706+000	4009729070765



Mounting options



System clamp

Desktop mount with system clamp to mount the product without the need to drill holes in the desktop.



Ceiling mount

Ceiling mount lets you attach the product to the ceiling.



Attenzia clamp

Desktop mount for Attenzia lights to mount the product without the need to drill holes in the desktop.



Ceiling/floor mount

Ceiling/floor mount lets you mount a column between ceiling and floor.



Drilling screw fitting

Drilling screw fitting to mount the product by drilling a hole in the desktop.



Wall mount

Wall mount lets you attach the product to the wall.



Cable port mount

Cable port mount ensures secure attachment on existing cable ports.



Floor stand

Sturdy stand for positioning on the floor.



Pin adapter

Desktop mounting with pin adapter (16 mm in diameter) is used in various desk adapters by the office furniture industry.



Universal clamp

Desktop mount with universal clamp 1 for desktops in a thickness of 18-74 mm.



System rail mount

System rail mount for use in various system rails from the office furniture industry.



Luma clamp

Desktop mount with luma clamp to mount the product without the need to drill holes in the desktop.



Desk stand

Elegant stand for positioning on the desk.



Combinability

All items with universal clamp 1 can be fitted to the product.




Attenzia base plate

Elegant base for positioning on the desk.



Organisation wall mount

Organisation wall mount to attach the products to an organisational wall by using slot nuts.



3-in-1 table mount

This table mount can be used as a clamp, grommet and drilling mount.

Technical specifications



Standard monitor mount

The standard mount to use with any monitor compatible with 75 x 75 mm or 100 x 100 mm attachment standard.



Column length

The value indicates the height of the column above the desk in mm.



Monitor mount

This mount is to attach monitors compatible with the attachment standard given in mm. (The maximum possible standard is indicated.)




Height above desk

The value indicates the minimum and maximum distance between the product and desk surface.



Monitor weight

This value indicates the maximum load-bearing capacity of the supporting element or the maximum weight of a monitor in kg.



Width

The value indicates the width of the product in mm.



Carrying capacity

The weight shows the maximum weight in kg that the product is allowed to carry.



Range

The value indicates the product's range in mm.



Dimensions of support platform

The value indicates the size of the platform in mm.




Swivelling range

The value indicates the product's possible swivelling range in °.



Adjustability

The device is easily and infinitely adjustable, thanks to its patented spring balancing mechanism.



Power consumption

The value indicates the lamp used and the power consumption in watts.



Adjustability

The device can be clicked into three fixed positions.



Diameter

The value indicates the diameter of the Pila seating ball in cm.



Colour temperature

The value indicates the colour temperature in kelvins.



ENEC certified

This product meets the requirements of the EU General Product Safety Directive



German Engineering

The "German Engineering" quality mark guarantees that the product has been developed by our engineers in line with German quality standards. Production takes place in our own factories across the world, managed from Germany.



GS certified

TÜV Nord tested in accordance with the German Product Safety Act.

Novus & Dahle:

quality, functionality & design

under one roof.

For over seventy years, the emco Group in Lingen has stood for high-quality “German Engineering” and innovative product development. Today, with its four strong brands, emco, Novus, Dahle and emco e-scooter international, it operates successfully and internationally in a wide range of industries.

The Dahle and Novus brands are the experts for everything to do with office technology. Created to meet a wide variety of different workplace requirements, their diverse product ranges offer innovative details to make your daily working life that bit easier and more efficient – and all in an attractive design.

Novus is an expert in the business area of fastening technology, too. Here, the company supplies a reliable range of universal tackers and riveting tools for the home, hobby and professional sectors for a vast range of applications.



Novus staplers and perforators



Novus logo mats



Novus fastening technology



Dahle cutters



Dahle document shredders




Dahle presentation systems

Living and working with Novus Dahle.

Novus Dahle does everything it can to make work as pleasant and relaxed as possible for people in offices. That's why we don't limit ourselves to developing and producing state-of-the-art office technology but go above and beyond this.

In our social magazine, WorklifeExperts, you can find out more about the most important topics affecting office work: www.novus-dahle.com



855-2593 EN 03/20
Technical information and design are approximate and subject to change.

Novus Dahle GmbH
Breslauer Straße 34-38
49808 Lingen
GERMANY
Tel. +49 (0) 591/9140-0
Fax +49 (0) 591/9140-841
info@novus-dahle.com

www.novus-dahle.com



Part of the